

Forage Suitability Groups (MN)

Kandiyohi County, Minnesota

[Absence of an entry indicates that a forage suitability group was not assigned]

| Map symbol and soil name | Pct. of map unit | Land resource unit | Forage suitability group number |
|-----------------------------|---------------------|--------------------------|---------------------------------------|
| 27B: | | | |
| Dickinson | 90 | S | 02 |
| Hanska | 5 | --- | --- |
| Lowlein | 5 | --- | --- |
| 35: | | | |
| Blue Earth | 85 | S | 13 |
| Regal | 10 | --- | --- |
| Hawick | 5 | --- | --- |
| 39: | | | |
| Wadena | 90 | N | 02 |
| Biscay | 10 | --- | --- |
| 41A: | | | |
| Estherville | 90 | N | 22 |
| Biscay | 5 | --- | --- |
| Linder | 5 | --- | --- |
| 84: | | | |
| Brownton | 90 | S | 09 |
| Nicollet | 5 | --- | --- |
| Okoboji | 5 | --- | --- |
| 94: | | | |
| Terril | 90 | S | 02 |
| Delft | 10 | --- | --- |
| 106B: | | | |
| Lester | 90 | S | 02 |
| Swanlake | 5 | --- | --- |
| Webster | 5 | --- | --- |

Forage Suitability Groups (MN)

Kandiyohi County, Minnesota

| Map symbol and soil name | Pct. of map unit | Land resource unit | Forage suitability group number |
|-----------------------------|---------------------|--------------------------|---------------------------------------|
| 110: Marna | 90 | S | 01 |
| Okoboji | 10 | --- | --- |
| 112: Harps | 90 | S | 09 |
| Glencoe | 4 | --- | --- |
| Okoboji | 3 | --- | --- |
| Seaforth | 3 | --- | --- |
| 113: Webster | 90 | S | 01 |
| Glencoe | 5 | --- | --- |
| Okoboji | 5 | --- | --- |
| 114: Glencoe | 85 | S | 13 |
| Canisteo | 5 | --- | --- |
| Harps | 5 | --- | --- |
| Palms | 5 | --- | --- |
| 130A: Nicollet | 85 | S | 02 |
| Webster | 10 | --- | --- |
| Glencoe | 5 | --- | --- |
| 130B: Nicollet | 85 | S | 02 |
| Webster | 10 | --- | --- |
| Swanlake | 5 | --- | --- |

Forage Suitability Groups (MN)

Kandiyohi County, Minnesota

| Map symbol and soil name | Pct. of map unit | Land resource unit | Forage suitability group number |
|-----------------------------|---------------------|--------------------------|---------------------------------------|
| 134: | | | |
| Okoboji | 85 | S | 13 |
| Canisteo | 5 | --- | --- |
| Harps | 5 | --- | --- |
| Palms | 5 | --- | --- |
| 140: | | | |
| Spicer | 90 | S | 09 |
| Okoboji | 10 | --- | --- |
| 230A: | | | |
| Guckeen | 90 | S | 02 |
| Okoboji | 10 | --- | --- |
| 230B: | | | |
| Guckeen | 90 | S | 02 |
| Okoboji | 10 | --- | --- |
| 238B: | | | |
| Kilkenny | 90 | S | 06 |
| Marna | 5 | --- | --- |
| Sunburg | 5 | --- | --- |
| 238C: | | | |
| Kilkenny | 90 | S | 06 |
| Marna | 5 | --- | --- |
| Sunburg | 5 | --- | --- |
| 336: | | | |
| Delft | 90 | S | 01 |
| Glencoe | 10 | --- | --- |
| 392: | | | |
| Biscay | 90 | N | 01 |

Forage Suitability Groups (MN)

Kandiyohi County, Minnesota

| Map symbol and soil name | Pct. of map unit | Land resource unit | Forage suitability group number |
|-----------------------------|---------------------|--------------------------|---------------------------------------|
| 392: | | | |
| Biscay | 5 | --- | --- |
| Osakis | 5 | --- | --- |
| 399: | | | |
| Biscay, depressional | 90 | N | 13 |
| Palms | 10 | --- | --- |
| 413: | | | |
| Osakis | 90 | N | 04 |
| Biscay | 10 | --- | --- |
| 423: | | | |
| Seaforth | 85 | S | 10 |
| Canisteo | 10 | --- | --- |
| Ves | 5 | --- | --- |
| 444: | | | |
| Canisteo | 90 | S | 09 |
| Okoboji | 5 | --- | --- |
| Seaforth | 5 | --- | --- |
| 446A: | | | |
| Normania | 90 | S | 02 |
| Webster | 4 | --- | --- |
| Glencoe | 3 | --- | --- |
| Marna | 3 | --- | --- |
| 446B: | | | |
| Normania | 90 | S | 02 |
| Webster | 4 | --- | --- |
| Okoboji | 3 | --- | --- |

Forage Suitability Groups (MN)

Kandiyohi County, Minnesota

| Map symbol and soil name | Pct. of map unit | Land resource unit | Forage suitability group number |
|---------------------------------|---------------------|--------------------------|---------------------------------------|
| 446B: Swanlake | 3 | --- | --- |
| 447: Harpster | 90 | S | 09 |
| Okoboji | 10 | --- | --- |
| 462E: Sunburg | 85 | S | 17 |
| Terril | 10 | --- | --- |
| Hawick | 5 | --- | --- |
| 523: Houghton | 85 | S | 14 |
| Palms | 15 | --- | --- |
| 525: Muskego | 85 | S | 14 |
| Palms | 15 | --- | --- |
| 539: Palms | 85 | S | 14 |
| Glencoe | 10 | --- | --- |
| Okoboji | 5 | --- | --- |
| 548: Palms, sandy substratum | 85 | N | 14 |
| Dassel | 15 | --- | --- |
| 559: Lena | 85 | S | 14 |
| Regal | 10 | --- | --- |
| Hawick | 5 | --- | --- |

Forage Suitability Groups (MN)

Kandiyohi County, Minnesota

| Map symbol and soil name | Pct. of map unit | Land resource unit | Forage suitability group number |
|-----------------------------|---------------------|--------------------------|---------------------------------------|
| 566: | | | |
| Regal | 90 | N | 03 |
| Biscay | 5 | --- | --- |
| Osakis | 5 | --- | --- |
| 611D: | | | |
| Hawick | 90 | N | 22 |
| Sunburg | 5 | --- | --- |
| Wadena | 5 | --- | --- |
| 611F: | | | |
| Hawick | 90 | N | 24 |
| Sunburg | 5 | --- | --- |
| Wadena | 5 | --- | --- |
| 613: | | | |
| Grovecity | 90 | S | 02 |
| Sunburg | 5 | --- | --- |
| Webster | 5 | --- | --- |
| 804B: | | | |
| Koronis | 65 | S | 06 |
| Hawick | 20 | S | 22 |
| Delft | 10 | --- | --- |
| Terril | 5 | --- | --- |
| 804C: | | | |
| Koronis | 65 | S | 06 |
| Hawick | 20 | S | 22 |
| Delft | 5 | --- | --- |
| Sunburg | 5 | --- | --- |

Forage Suitability Groups (MN)

Kandiyohi County, Minnesota

| Map symbol and soil name | Pct. of map unit | Land resource unit | Forage suitability group number |
|-----------------------------|---------------------|--------------------------|---------------------------------------|
| 804C: Terril | 5 | --- | --- |
| 804D: Koronis | 65 | S | 23 |
| Hawick | 20 | S | 22 |
| Sunburg | 10 | --- | --- |
| Terril | 5 | --- | --- |
| 804E: Koronis | 65 | S | 17 |
| Hawick | 20 | S | 22 |
| Sunburg | 10 | --- | --- |
| Terril | 5 | --- | --- |
| 805B: Wadenill | 60 | S | 02 |
| Sunburg | 25 | S | 10 |
| Delft | 10 | --- | --- |
| Glencoe | 5 | --- | --- |
| 805C: Sunburg | 55 | S | 10 |
| Wadenill | 30 | S | 02 |
| Delft | 10 | --- | --- |
| Glencoe | 5 | --- | --- |
| 805D: Sunburg | 70 | S | 23 |
| Wadenill | 20 | S | 23 |
| Delft | 10 | --- | --- |

Forage Suitability Groups (MN)

Kandiyohi County, Minnesota

| Map symbol and soil name | Pct. of map unit | Land resource unit | Forage suitability group number |
|-----------------------------|---------------------|--------------------------|---------------------------------------|
| 806C: | | | |
| Guckeen | 60 | S | 02 |
| Arkton | 25 | S | 10 |
| Marna | 10 | --- | --- |
| Swanlake | 5 | --- | --- |
| 807B: | | | |
| Koronis | 65 | S | 06 |
| Sunburg | 20 | S | 10 |
| Delft | 10 | --- | --- |
| Glencoe | 5 | --- | --- |
| 807C: | | | |
| Koronis | 60 | S | 06 |
| Sunburg | 30 | S | 10 |
| Delft | 5 | --- | --- |
| Glencoe | 5 | --- | --- |
| 807D: | | | |
| Koronis | 55 | S | 23 |
| Sunburg | 35 | S | 23 |
| Delft | 5 | --- | --- |
| Glencoe | 5 | --- | --- |
| 809: | | | |
| Lowlein | 65 | S | 02 |
| Estherville | 20 | S | 22 |
| Coriff | 10 | --- | --- |
| Sunburg | 5 | --- | --- |

Forage Suitability Groups (MN)

Kandiyohi County, Minnesota

| Map symbol and soil name | Pct. of map unit | Land resource unit | Forage suitability group number |
|-----------------------------|---------------------|--------------------------|---------------------------------------|
| 810: | | | |
| Coriff | 45 | S | 09 |
| Fieldon | 45 | S | 09 |
| Biscay | 5 | --- | --- |
| Osakis | 5 | --- | --- |
| 817: | | | |
| Canisteo | 55 | S | 09 |
| Seaforth | 30 | S | 10 |
| Marna | 10 | --- | --- |
| Okoboji | 5 | --- | --- |
| 819B: | | | |
| Regal | 55 | S | 03 |
| Hawick | 35 | S | 22 |
| Biscay | 4 | --- | --- |
| Osakis | 3 | --- | --- |
| Palms | 3 | --- | --- |
| 833B: | | | |
| Wadenill | 40 | S | 02 |
| Sunburg | 30 | S | 10 |
| Hawick | 20 | S | 22 |
| Delft | 5 | --- | --- |
| Glencoe | 5 | --- | --- |
| 833C: | | | |
| Sunburg | 40 | S | 10 |
| Wadenill | 30 | S | 02 |

Forage Suitability Groups (MN)

Kandiyohi County, Minnesota

| Map symbol and soil name | Pct. of map unit | Land resource unit | Forage suitability group number |
|-----------------------------|---------------------|--------------------------|---------------------------------------|
| 833C: | | | |
| Hawick | 20 | S | 22 |
| Delft | 5 | --- | --- |
| Glencoe | 5 | --- | --- |
| 833D: | | | |
| Sunburg | 45 | S | 23 |
| Wadenill | 25 | S | 23 |
| Hawick | 20 | S | 22 |
| Delft | 4 | --- | --- |
| Glencoe | 3 | --- | --- |
| Terril | 3 | --- | --- |
| 833E: | | | |
| Sunburg | 50 | S | 17 |
| Hawick | 20 | S | 22 |
| Wadenill | 20 | S | 17 |
| Terril | 10 | --- | --- |
| 842: | | | |
| Urban land | 50 | --- | --- |
| Udorthents | 40 | --- | --- |
| Glencoe | 5 | --- | --- |
| Webster | 5 | --- | --- |
| 875B: | | | |
| Estherville | 60 | N | 22 |
| Hawick | 25 | N | 22 |
| Biscay | 5 | --- | --- |

Forage Suitability Groups (MN)

Kandiyohi County, Minnesota

| Map symbol and soil name | Pct. of map unit | Land resource unit | Forage suitability group number |
|-----------------------------|---------------------|--------------------------|---------------------------------------|
| 875B: | | | |
| Regal | 5 | --- | --- |
| Wadena | 5 | --- | --- |
| 875C: | | | |
| Hawick | 65 | N | 22 |
| Estherville | 20 | N | 22 |
| Wadena | 10 | --- | --- |
| Biscay | 5 | --- | --- |
| 897B: | | | |
| Seaforth | 60 | S | 10 |
| Swanlake | 30 | S | 10 |
| Glencoe | 5 | --- | --- |
| Webster | 5 | --- | --- |
| 899: | | | |
| Harps | 60 | S | 09 |
| Okoboji | 35 | S | 13 |
| Seaforth | 5 | --- | --- |
| 927: | | | |
| Harps | 35 | S | 09 |
| Okoboji | 25 | S | 13 |
| Seaforth | 25 | S | 10 |
| Ves | 15 | --- | --- |
| 954B: | | | |
| Ves | 65 | S | 02 |
| Swanlake | 25 | S | 10 |
| Glencoe | 5 | --- | --- |

Forage Suitability Groups (MN)

Kandiyohi County, Minnesota

| Map symbol and soil name | Pct. of map unit | Land resource unit | Forage suitability group number |
|-----------------------------|---------------------|--------------------------|---------------------------------------|
| 954B: Webster | 5 | --- | --- |
| 954C: Swanlake | 50 | S | 10 |
| Ves | 40 | S | 02 |
| Delft | 5 | --- | --- |
| Hawick | 5 | --- | --- |
| 954D: Swanlake | 60 | S | 23 |
| Ves | 30 | S | 23 |
| Delft | 5 | --- | --- |
| Hawick | 5 | --- | --- |
| 981: Canisteo | 45 | S | 09 |
| Harps | 40 | S | 09 |
| Glencoe | 10 | --- | --- |
| Okoboji | 5 | --- | --- |
| 999B: Ves | 40 | S | 02 |
| Swanlake | 30 | S | 10 |
| Hawick | 20 | S | 22 |
| Glencoe | 4 | --- | --- |
| Terril | 3 | --- | --- |
| Webster | 3 | --- | --- |
| 999C: Swanlake | 40 | S | 10 |

Forage Suitability Groups (MN)

Kandiyohi County, Minnesota

| Map symbol and soil name | Pct. of map unit | Land resource unit | Forage suitability group number |
|-----------------------------|---------------------|--------------------------|---------------------------------------|
| 999C: | | | |
| Ves | 25 | S | 01 |
| Hawick | 20 | S | 22 |
| Glencoe | 5 | --- | --- |
| Terril | 5 | --- | --- |
| Webster | 5 | --- | --- |
| 1016: | | | |
| Udorthents, loamy | 100 | S | 10 |
| 1029: | | | |
| Pits, gravel | 100 | S | 24 |
| 1055: | | | |
| Aquolls, ponded | 60 | S | 24 |
| Histosols, ponded | 40 | S | 24 |
| 1065B: | | | |
| Aquolls, sloping | 50 | S | 13 |
| Histosols, sloping | 50 | S | 14 |
| 1356: | | | |
| Water, miscellaneous | 100 | --- | --- |
| 1900: | | | |
| Okoboji, depressional | 55 | S | 13 |
| Canisteo, depressional | 30 | S | 09 |
| Harps | 5 | --- | --- |
| Harpster | 5 | --- | --- |
| Palms | 5 | --- | --- |
| 1908: | | | |
| Biscay | 50 | S | 14 |
| Palms | 40 | S | 14 |

Forage Suitability Groups (MN)

Kandiyohi County, Minnesota

| Map symbol and soil name | Pct. of map unit | Land resource unit | Forage suitability group number |
|--|---------------------|--------------------------|---------------------------------------|
| 1908: | | | |
| Regal | 4 | --- | --- |
| Houghton | 3 | --- | --- |
| Osakis | 3 | --- | --- |
| L13A: | | | |
| Klossner, drained | 80 | S | 14 |
| L33A: | | | |
| Kandiyohi | 80 | S | 01 |
| L33B: | | | |
| Kandiyohi | 80 | S | 01 |
| L34A: | | | |
| Cosmos | 85 | S | 01 |
| L163A: | | | |
| Okoboji, depressional | 92 | S | 13 |
| L164A: | | | |
| Lura, firm substratum, depressional | 90 | S | 13 |
| L166C2: | | | |
| Newlondon, moderately eroded | 45 | S | 02 |
| Strout, moderately eroded | 45 | S | 10 |
| L166D2: | | | |
| Newlondon, moderately eroded | 65 | S | 23 |
| Strout, moderately eroded | 25 | S | 23 |
| L184A: | | | |
| Corvuso | 85 | S | 09 |
| L185B: | | | |
| Strout | 70 | S | 02 |
| Arkton | 20 | S | 10 |

Forage Suitability Groups (MN)

Kandiyohi County, Minnesota

| Map symbol and soil name | Pct. of map unit | Land resource unit | Forage suitability group number |
|---|---------------------|--------------------------|---------------------------------------|
| L186A: | | | |
| Danielson | 70 | S | 01 |
| Danielson, overwash | 20 | S | 01 |
| L187A: | | | |
| Klossner, firm substratum, ponded | 45 | S | 24 |
| Lura, firm substratum, ponded | 45 | S | 24 |
| L191A: | | | |
| Blue Earth, firm substratum, ponded | 30 | S | 24 |
| Houghton, firm substratum, ponded | 30 | S | 24 |
| Klossner, firm substratum, ponded | 30 | S | 24 |
| L192A: | | | |
| Okoboji, depressional, firm substratum | 80 | S | 13 |
| L195A: | | | |
| Houghton, drained, firm substratum | 70 | S | 14 |
| Klossner, drained, firm substratum | 25 | S | 14 |
| L199A: | | | |
| Muskego, drained, firm substratum | 45 | S | 14 |
| Klossner, drained, firm substratum | 40 | S | 14 |
| L200A: | | | |
| Klossner, drained, firm substratum | 80 | S | 14 |
| L201A: | | | |
| Normania | 85 | S | 02 |

Forage Suitability Groups (MN)

Kandiyohi County, Minnesota

| Map symbol and soil name | Pct. of map unit | Land resource unit | Forage suitability group number |
|--|---------------------|--------------------------|---------------------------------------|
| L307B: Koronis | 80 | S | 06 |
| L307C2: Koronis, moderately eroded | 75 | S | 06 |
| L307E: Koronis | 75 | S | 17 |
| L315C2: Sunburg, moderately eroded | 35 | S | 10 |
| Wadenill, moderately eroded | 30 | S | 02 |
| Hawick | 20 | S | 22 |
| L315D2: Sunburg, moderately eroded | 35 | S | 23 |
| Wadenill, moderately eroded | 30 | S | 23 |
| Hawick | 20 | S | 22 |
| L315E: Sunburg | 50 | S | 17 |
| Wadenill | 20 | S | 17 |
| Hawick | 15 | S | 22 |
| L316B: Haplosaprists, calcareous | 70 | S | 14 |
| Aquolls | 20 | S | 13 |
| L317A: Barry | 85 | S | 01 |
| L318A: Lundlake | 85 | S | 13 |

Forage Suitability Groups (MN)

Kandiyohi County, Minnesota

| Map symbol and soil name | Pct. of map unit | Land resource unit | Forage suitability group number |
|---|---------------------|--------------------------|---------------------------------------|
| L321A: Swedegrove | 85 | S | 09 |
| L322A: Uniongrove | 80 | S | 01 |
| L323A: Crowriver | 90 | S | 09 |
| L324A: Forestcity, overwash | 45 | S | 01 |
| Forestcity | 40 | S | 01 |
| L325A: Crowriver | 45 | S | 09 |
| Lundlake | 35 | S | 13 |
| L330A: Blue Earth, ponded | 30 | S | 24 |
| Houghton, ponded | 30 | S | 24 |
| Muskego, ponded | 30 | S | 24 |
| L331A: Klossner, drained, lundlake catena | 80 | S | 14 |
| L332A: Blue Earth, lundlake catena | 90 | S | 13 |
| L333A: Blue Earth, lundlake catena, surface drained | 70 | S | 24 |
| Blue Earth, lundlake catena, drained | 20 | S | 13 |
| L334A: Houghton, surface drained | 40 | S | 24 |
| Muskego, surface drained | 40 | S | 24 |

Forage Suitability Groups (MN)

Kandiyohi County, Minnesota

| Map symbol and soil name | Pct. of map unit | Land resource unit | Forage suitability group number |
|---|---------------------|--------------------------|---------------------------------------|
| L335A: | | | |
| Klossner, surface drained, lundlake catena | 65 | S | 24 |
| Klossner, drained, lundlake catena | 20 | S | 14 |
| L336A: | | | |
| Arctander, overwash | 45 | S | 01 |
| Arctander | 35 | S | 01 |
| L337B: | | | |
| Wadenill | 65 | S | 02 |
| Sunburg | 20 | S | 10 |
| L340B: | | | |
| Wadenill | 50 | S | 02 |
| Sunburg | 25 | S | 10 |
| Hawick | 15 | S | 22 |
| L347A: | | | |
| Klossner, lundlake catena, ponded | 50 | S | 24 |
| Lundlake, ponded | 45 | S | 24 |
| L351A: | | | |
| Houghton, drained | 80 | S | 14 |
| L352A: | | | |
| Muskego, drained, lundlake catena | 90 | S | 14 |
| L354A: | | | |
| Grovecity | 75 | S | 02 |
| L355B: | | | |
| Koronis | 50 | S | 06 |
| Sunburg | 20 | S | 10 |
| Hawick | 15 | S | 22 |

Forage Suitability Groups (MN)

Kandiyohi County, Minnesota

| Map symbol and soil name | Pct. of map unit | Land resource unit | Forage suitability group number |
|--------------------------------|---------------------|--------------------------|---------------------------------------|
| L355C2: | | | |
| Koronis, moderately eroded | 45 | S | 06 |
| Sunburg, moderately eroded | 25 | S | 10 |
| Hawick | 15 | S | 22 |
| L355D2: | | | |
| Koronis, moderately eroded | 40 | S | 23 |
| Sunburg, moderately eroded | 30 | S | 23 |
| Hawick | 15 | S | 22 |
| L355E: | | | |
| Koronis | 50 | S | 17 |
| Sunburg | 20 | S | 23 |
| Hawick | 15 | S | 22 |
| L356C2: | | | |
| Sunburg, moderately eroded | 60 | S | 10 |
| Wadenill, moderately eroded | 30 | S | 02 |
| L356D2: | | | |
| Sunburg, moderately eroded | 70 | S | 23 |
| Wadenill, moderately eroded | 20 | S | 23 |
| L357B: | | | |
| Koronis | 60 | S | 06 |
| Sunburg | 20 | S | 10 |
| L357C2: | | | |
| Koronis, moderately eroded | 60 | S | 06 |

Forage Suitability Groups (MN)

Kandiyohi County, Minnesota

| Map symbol and soil name | Pct. of map unit | Land resource unit | Forage suitability group number |
|--|---------------------|--------------------------|---------------------------------------|
| L357C2: Sunburg, moderately eroded | 20 | N | |
| L357D2: Koronis, moderately eroded | 65 | S | 23 |
| Sunburg, moderately eroded | 20 | S | 23 |
| W: Water | 100 | --- | --- |